CHAPTER 25

SALT; SULFUR; EARTHS AND STONE; PLASTERING MATERIALS, LIME AND CEMENT

V 25-1

Notes

1. Except where their context or note 4 to this chapter otherwise requires, the headings of this chapter cover only products which are in the crude state or which have been washed (even with chemical substances eliminating the impurities without changing the structure of the product), crushed, ground, powdered, levigated, sifted, screened, concentrated by flotation, magnetic separation or other mechanical or physical processes (except crystallization), but not products which have been roasted, calcined, obtained by mixing or subjected to processing beyond that mentioned in each heading.

The products of this chapter may contain an added antidusting agent, provided that such addition does not render the product particularly suitable for a specific use rather than for general use.

- This chapter does not cover:
 - (a) Sublimed sulfur, precipitated sulfur or colloidal sulfur (heading 2802);
 - (b) Earth colors containing 70 percent or more by weight of combined iron evaluated as Fe₂O₃ (heading 2821);
 - (c) Medicaments or other products of chapter 30;
 - (d) Perfumery, cosmetic or toilet preparations (chapter 33);
 - (e) Setts, curbstones or flagstones (heading 6801); mosaic cubes and the like (heading 6802); roofing, facing or damp course slates (heading 6803);
 - (f) Precious or semiprecious stones (heading 7102 or 7103);
 - (g) Cultured crystals (other than optical elements) weighing not less than 2.5 g each, of sodium chloride or of magnesium oxide, of heading 3824; optical elements of sodium chloride or of magnesium oxide (heading 9001);
 - (h) Billiard chalks (heading 9504); or
 - (ij) Writing or drawing chalks or tailors' chalks (heading 9609).
- 3. Any products classifiable in heading 2517 and any other heading of the chapter are to be classified in heading 2517.
- 4. Heading 2530 applies, inter alia, to: vermiculite, perlite and chlorites, unexpanded; earth colors, whether or not calcined or mixed together; natural micaceous iron oxides; meerschaum (whether or not in polished pieces); amber; agglomerated meerschaum and agglomerated amber, in plates, rods, sticks or similar forms, not worked after molding; jet; strontianite (whether or not calcined), other than strontium oxide; broken pottery.

Statistical Note

- 1. For the purposes of heading 2525:
 - (a) The term "split block mica" means mica, not exceeding 0.508 mm in thickness, that has been split and selected within a tolerance of 0.203 mm, but which has not been cut or stamped to dimensions, shape or form;
 - (b) The term "mica splittings" means mica laminae in book-form or book-pack, or in loose pack, suitable for use in the manufacture of agglomerated (built-up) mica included in heading 6815.

2501.00.00	00	Salt (including table salt and denatured salt) and pure sodium chloride, whether or not in aqueous solution or containing added anticaking or free-		Post	
	26%	flowing agents; sea water	t	Free	
2502.00.00	00 Free		t	Free	
2503.00.00		Sulfur of all kinds, other than sublimed sulfur, precipitated sulfur and colloidal sulfur		Free	
	Free 10 90	Crude or unrefined sulfur Other	t t		
2504 2504.10 2504.10.10	0.0	Natural graphite: In powder or in flakes: Crystalline flake (not including flake			
	3.6	dust)	kg	Free	
2504.10.50	00	Other	kg	Free	
2504.90.00	10% 00 10%	Other	kg	Free	
2505 2505.10 2505.10.10	00	Natural sands of all kinds, whether or not colored, other than metal-bearing sands of chapter 26: Silica sands and quartz sands: Sand containing by weight 95 percent or			
	\$1.9	more of silica and not more than 0.6 per- cent of oxide of iron	t	Free	
2505.10.50	0.0	Other	t	Free	
2505.90.00	Free 00 Free	Other	t	Free	
2506		Quartz (other than natural sands); quartzite, whether or not roughly trimmed or merely cut, by sawing or otherwise, into blocks or slabs			
2506.10.00		of a rectangular (including square) shape: Quartz		Free	
	Free 10	Sands (other than natural) containing by weight 95 percent or more of silica and not more than 0.6 percent of oxide of iron	: t		
	50	OtherQuartzite:	t		
2506.21.00	00 Free	Crude or roughly trimmed	t	Free	
2506.29.00	00 Free	Other	t	Free	
2507.00.00	00	Kaolin and other kaolinic clays, whether or not calcined	t	6.5¢/t	Free
(A+,CA,E,IL	,	\$2.46/t	· · · · · · ·	,	1100
2508		Other clays (not including expanded clays of heading 6806), andalusite, kyanite and sillimanite, whether or not calcined; mullite; chamotte or dinas earths:		J,MX)	
2508.10.00 (A+,CA,E,IL	00	Bentonite	t	7.9¢/t	Free
2508.20.00 (A+,CA,E,IL	00	Decolorizing earths and fuller's earth\$1.48/t	t	J,MX) 4.9¢/t	Free
2508.30.00 (A+,CA,E,IL	00	Fire-clay\$1.97/t	t	J,MX) 9.8¢/t	Free
2508.40.00 (A+,CA,E,IL	,	Other clays\$1.97/t		J,MX) 9.4¢/t	Free
	10	Common blue clay and other ball clays	t	J,MX)	
2508.50.00	50 00	Other Andalusite, kyanite and sillimanite	t t	Free	
2508.60.00 (A,CA,E,IL,	Free		t	1%	Free
				J,MX)	
2508.70.00	00 Free	Chamotte or dinas earth	t	Free	

2509.00 2509.00.10	0.0	Chalk:	t	Froo	
2509.00.10	00 Free 00	Other	t	Free 0.3%	Free
(A+,CA,E,IL		13%		J,MX)	1100
2510		Natural calcium phosphates, natural aluminum calcium phosphates and phosphatic chalk:		* *	
2510.10.00	00 Free	Unground	t	Free	
2510.20.00	00 Free	Ground	t	Free	
2511 2511.10		Natural barium sulfate (barytes); natural barium carbonate (witherite), whether or not calcined, other than barium oxide of heading 2816: Natural barium sulfate (barytes):			
2511.10.10 (A,CA,E,IL,	00 \$7.3	Ground	t	64¢/t	Free
2511.10.50 (A,CA,E,IL,	00 \$3.9	Other	t	J,MX) \$1.25/t	Free
2511.20.00 (A+,CA,E,IL	00	Natural barium carbonate (witherite)	kg	J,MX) 0.6%	Free
				J,MX)	
2512.00.00	00	Siliceous fossil meals (for example, kieselguhr, tripolite and diatomite) and similar siliceous earths, whether or not calcined, of an apparent			
	Free	specific gravity of 1 or less	t	Free	
2513		Pumice; emery; natural corundum, natural garnet and other natural abrasives, whether or not heat-treated:			
2513.11.00	00	Pumice: Crude or in irregular pieces, including			
	Free	crushed pumice	kg	Free	
2513.19.00 (A,CA,E,IL,	00 1.7¢	Other	kg	0.1¢/kg	Free
2513.20		Emery, natural corundum, natural garnet and		J,MX)	
2513.20.10	00	other natural abrasives: Crude or in irregular pieces	kg	Free	
2513.20.90 (A,CA,E,IL,	Free 00	Other	kg	0.1¢/kg	Free
2514.00.00	00	2.2¢/kg Slate, whether or not roughly trimmed or merely		MX)	
2521.00.00	0.0	cut, by sawing or otherwise, into blocks or slabs			
(A,CA,E,IL,			t	0.7%	Free
	J,	of a rectangular (including square) shape	t	0.7% MX)	Free
2515	J,	of a rectangular (including square) shape	t		Free
2515.11.00 (A,CA,E,IL,	00	of a rectangular (including square) shape	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	MX) 69¢/m³	Free
2515.11.00	00	of a rectangular (including square) shape		MX)	
2515.11.00 (A,CA,E,IL,	00 \$22.	of a rectangular (including square) shape		MX) 69¢/m³ J,MX)	
2515.11.00 (A,CA,E,IL, 2515.12	00 \$22.	of a rectangular (including square) shape	$m^3 \dots \dots v$	MX) 69¢/m³ J,MX)	Free
2515.11.00 (A,CA,E,IL, 2515.12 2515.12.10 (A,CA,E,IL, 2515.12.20 (A,CA,E,IL,	00 \$22.	of a rectangular (including square) shape	m³v	MX) 69¢/π³	Free
2515.11.00 (A,CA,E,IL, 2515.12 2515.12.10 (A,CA,E,IL,	00 \$22.	of a rectangular (including square) shape	m³v	MX) 69¢/m³ J,MX) 0.4% MX) 3.6%	Free

2516	mon ron otl	anite, porphyry, basalt, sandstone and other numental or building stone, whether or not ughly trimmed or merely cut, by sawing or nerwise, into blocks or slabs of a rectangular nucluding square) shape: Granite:			
2516.11.00	00 \$8.83/m	Crude or roughly trimmed	$m^3 \dots v$	Free	
2516.12.00		Merely cut, by sawing or otherwise, into blocks or slabs of a rectangular (including square) shape		3.1%	Free
(A,CA,E,IL,J	J, 60				
	30	Having a thickness of 7.5 cm or more	t	MX)	
	60	Other	t		
2516 21 00	00	Sandstone:	m ³ v	Exac	
2516.21.00	\$5.30/m	Crude or roughly trimmed	IIIV	Free	
2516.22.00	00	Merely cut, by sawing or otherwise, into blocks or slabs of a rectangular	_	2 6%	Proce
(A*,CA,E,IL,	50	(including square) shape }	t	3.6%	Free
2516.90.00 (A*,CA,E,IL,	50	Other monumental or building stone		J,™ 3.6%	IX) Free
(11 , C11, 11, 111,				J,M	IX)
	30 60	Having a thickness of 7.5 cm or more Other	t t		
2517	con mei and sla noi pa: ch:	obles, gravel, broken or crushed stone, of a kind mmonly used for concrete aggregates, for road talling, or for railway or other ballast; shingle diflint, whether or not heat-treated; macadam of ag, dross or similar industrial waste, whether or trincorporating the materials cited in the first rof the heading; tarred macadam; granules, ippings and powder, of stones of heading 2515 2516, whether or not heat-treated: Pebbles, gravel, broken or crushed stone, of a kind commonly used for concrete aggregates, for road metalling, or for railway or other ballast, shingle and flint, whether or not			
	30%	heat-treated		Free	
	15	Pebbles and gravel	t		
	20 55	Limestone, except pebbles and gravel Other	t t		
2517.20.00	00	Macadam of slag, dross or similar industrial			
2317.20.00	00	waste, whether or not incorporating the			_
(A,CA,E,IL,J	J, 30	materials cited in subheading 2517.10	t	1%	Free
	00	Tarred macadam	t	MX)	Free
(A,CA,E,IL,J					
		Granules, chippings and powder, of stones of heading 2515 or 2516, whether or not heat-		MX)	
2517.41.00	00	treated: Of marble	t	Free	
2517.49.00	30% 00 \$1.10/t	Other	t	Free	
2518	tr: blo sh	lomite, whether or not calcined; dolomite roughly immed or merely cut, by sawing or otherwise, into ocks or slabs of a rectangular (including square) ape; agglomerated dolomite (including tarred lomite):			
2518.10.00	00 Free	Dolomite not calcined	t	Free	
2518.20.00 (A,CA,E,IL,J	00	Calcined dolomite	t	3.6%	Free
	,			MX)	
2518.30.00	00	Agglomerated dolomite (including tarred dolomite)	t	1%	Free
(A,CA,E,IL,J	J, 30	}		MX)	
				,	

2519	Natural magnesium carbonate (magnesite); fused magnesia; dead-burned (sintered) magnesia, whether or not containing small quantities of other oxides added before sintering; other			
2519.10.00	magnesium oxide, whether or not pure: 00 Natural magnesium carbonate (magnesite) \$10.33/t	t	Free	
2519.90 2519.90.10	Other: 00 Fused magnesia and dead-burned (sintered)			
	magnesia	kg	0.1¢/kg	Free
(A,CA,E,IL,	T, 1.7¢/kg		MX)	
2519.90.20		t	41¢/t	Free
(A+,CA,E,IL,	\$20.7076		J) \$1.03/t (MX) (s) <u>1</u> /
2519.90.50	00 Other	kg	Free	
	15.4¢/kg			
2520	Gypsum; anhydrite; plasters (consisting of calcined gypsum or calcium sulfate) whether or not colored, with or without small quantities of accelerators or retarders:			
2520.10.00	00 Gypsum; anhydrite	t	Free	
2520.20.00	Free 00 Plasters	t	8.3¢/t	Free
(A,CA,E,IL,				
			MX)	
2521.00.00	00 Limestone flux; limestone and other calcareous stone, of a kind used for the manufacture of lime			
	or cement	t	Free	
	Free			
2522	Quicklime, slaked lime and hydraulic lime, other			
2522.10.00	than calcium oxide and hydroxide of heading 2825: Oucline	kg	Free	
	0.2¢/kg,	3		
				including weight of
				container
2522.20.00	00 Slaked lime	kg	Free	
	0.3¢/kg,			including
				weight of
				container
2522.30.00	00 Hydraulic lime	kg	Free	
	0.2¢/kg,			including
				weight of
2523	Portland cement, aluminous cement, slag cement,			container
	supersulfate cement and similar hydraulic cements, whether or not colored or in the form of clinkers:			
2523.10.00	00 Cement clinkers	t	Free	
	\$1.32/t,			including
				weight of
	Portland cement:			container
2523.21.00		<u>+</u>	44/+ in	Ewoo
(A,CA,E,IL,	ly colored	t	4¢/t, in-	Free
		cluding weight of	MX)	including weight of
		container		container
2523.29.00	00 Other	t	Free	
	\$1.32/t,			
				including weight of
				container
2523.30.00	00 Aluminous cement	t	Free	
	\$1.32/t,			including
				weight of
				container
2523.90.00	00 Other hydraulic cements	t	Free	
	\$1.32/t,			including
				weight of
				container

2524.00.00		Asbestos		Free
	Free 10 20	Amosite Crocidolite (Blue)	t t	
	30	Chrysotile: Crudes	t	
	40	Milled fibers, group 3 grades (spinning fibers or equivalent)	t	
	45 55	Milled fibers, group 4 and 5 grades	t t	
	60	Other	t	
2525 2525.10.00		Mica, including splittings; mica waste: Crude mica and mica rifted into sheets or splittings		Free
	Free 10	Split block mica	kg	
	20 50	Mica splittings Other	kg kg	
2525.20.00 (A+,CA,E,IL	, 00	Mica powder	kg	0.5% Free
2525.30.00	00 8.8¢	Mica waste	kg	J,MX) Free
2526		Natural steatite, whether or not roughly trimmed or merely cut, by sawing or otherwise, into blocks or slabs of a rectangular (including square) shape;		
2526.10.00 (A,CA,E,IL,	00	talc: Not crushed, not powdered 0.6¢/kg	kg	0.01¢/kg Free
2526.20.00	00	Crushed or powdered	t	MX) 0.5% Free
(A,CA,E,IL,	35%			J,K,MX)
2527.00.00	00 Free	Natural cryolite; natural chiolite	t	Free
2528	riee	Natural borates and concentrates thereof		
2320		(calcined or not), but not including borates separated from natural brine; natural boric acid containing not more than 85 percent of H_3BO_3		
2528.10.00	00	<pre>calculated on the dry weight: Natural sodium borates and concentrates thereof (whether or not calcined)</pre>	ka	Fron
	Free		kg	Free
2528.90.00	Free	Other		Free
	10 50	Natural calcium borates	kg kg	
2529		Feldspar; leucite, nepheline and nepheline syenite; fluorspar:		
2529.10.00	00 49¢/	Feldspar	t	Free
2529.21.00	00	Fluorspar: Containing by weight 97 percent or less		
	13.5	of calcium fluoride	t	Free
2529.22.00	00	Containing by weight more than 97 percent	±	41.4./+ Eman
(A,CA,E,IL,	J,	of calcium fluoride\$5.51/t	t	41¢/t Free MX)
2529.30.00	Free	Leucite; nepheline and nepheline syenite		Free
	10 50	Nepheline syeniteOther	t t	
2530		Mineral substances not elsewhere specified or		
2530.10.00	00	included: Vermiculite, perlite and chlorites,		_
	Free	unexpandede	kg	Free
2530.20		Kieserite, epsom salts (natural magnesium sulfates):		
2530.20.10	00 Free	Kieserite	kg	Free
2530.20.20 (A,CA,E,IL,	00	Epsom salts	kg	0.7% Free
2530.40.00 (A,CA,E,IL,	00	Natural micaceous iron oxides	kg	MX) 3.5% Free
2530.90.00	- ,	Other		MX) Free
	0.3¢ 10	:/kg Celestite	kg	
	15 50	Earth colorsOther	kg kg	